

## Limited Lifetime Sink Warranty

SSI warrants this stainless steel sink to be free from defects in material and workmanship for a lifetime of normal residential use. SSI will replace a stainless steel sink that proves defective under normal installation, use, and service in residential applications only. Damage as a result of misuse, abuse, accident, or improper handling, installation, care and cleaning will void this warranty. SSI will not be responsible for incidental or consequential damages, cost of transportation, labor or installation. Dated proof of purchase must accompany all warranty claims. SSI reserves the right to examine the product in question and its installation prior to replacement. This warranty applies only in original installation location.

# fluid |

**SSI**<sup>™</sup>  
SUSTAINABLE  
SOLUTIONS  
INTERNATIONAL

## Need Help?

For additional assistance or service call  
Toll Free: 1 800 460 7019  
Fax: 1 604 430 5050  
[www.fluidsinks.com](http://www.fluidsinks.com)

## Installation Instructions for **Undermount Sink**



**SSI**<sup>™</sup>  
SUSTAINABLE  
SOLUTIONS  
INTERNATIONAL

Sustainable Solutions International  
Phone: 1 800 460 7019  
[www.SustainableSolutions.com](http://www.SustainableSolutions.com)

Undermount Sink/2008/10 | Ion Branding + Design

Please Keep This Manual For Future Reference

# Undermount Sink

These instructions are for installing an undermount stainless steel sink. Undermount sinks are sinks that are mounted from below the countertop and sealed to the bottom of the counter. If you are installing another type of sink, such as a Top Mount sink which is installed on top of the counter, please refer to the instructions specifically for those sinks.

Templates are supplied as a guide. Fabricator must ensure that the template model number matches the sink being installed. We will not be responsible for incorrectly cut counter surfaces.

# Care & Cleaning

Your stainless steel sink is made of 304 series stainless steel. This elegant, heavy duty, non-porous material is hygienic, rust-free, and extremely durable.

After every use, rinse thoroughly, then wipe the sink dry with a clean soft cloth to avoid water spotting and mineral deposits.

**Note: It is recommended that all countertops be cut by an approved or certified installer and that the sinks be installed by the installer whenever possible.**

Before installing the sink, inspect it for damage. Do not install a damaged sink.

Remember, it is your responsibility to follow all local plumbing and building codes.

The warranty will be voided if these installation instructions are not followed.

# Tools Required for Installation



Undermount Template



Sealant



Cutting Tool



Screwdriver



Drill and Drill Bit



Pencil



Tape Measure

# Installation Instructions

1. Cut out the template and place it on the countertop, making sure that sink front is parallel to the front of the counter.
2. Tape the template in place, and trace around the dashed line in the template.
3. Cut the countertop along the traced line with the proper tool for the countertop material.
4. Determine placement of clip brackets as indicated by template.
5. On underside of countertop, drill holes for brass inserts for undermount clips according to method desired based on countertop material. Use a drill bit with stop block to avoid drilling through the countertop.
6. Apply a bead of sealant evenly along edge on underside of countertop.
7. Position and align sink below opening. Press sink onto sealant.
8. Install clip brackets by tightening screws to secure the sink.
9. Remove excess sealant if any.



Sustainable Solutions International  
USA: Los Angeles, CA  
Canada: Burnaby, BC  
Phone: 1 800 460 7019  
[www.SustainableSolutions.com](http://www.SustainableSolutions.com)

## Limited Lifetime Sink Warranty

SSI warrants this stainless steel sink to be free from defects in material and workmanship for a lifetime of normal residential use. SSI will replace a stainless steel sink that proves defective under normal installation, use, and service in residential applications only. Damage as a result of misuse, abuse, accident, or improper handling, installation, care and cleaning will void this warranty. SSI will not be responsible for incidental or consequential damages, cost of transportation, labor or installation. Dated proof of purchase must accompany all warranty claims. SSI reserves the right to examine the product in question and its installation prior to replacement. This warranty applies only in original installation location.

# fluid |

**SSI**<sup>™</sup>  
SUSTAINABLE  
SOLUTIONS  
INTERNATIONAL

## Need Help?

For additional assistance or service call  
Toll Free: 1 800 460 7019  
Fax: 1 604 430 5050  
[www.fluidsinks.com](http://www.fluidsinks.com)

## Installation Instructions for **Topmount Sink**



**SSI**<sup>™</sup>  
SUSTAINABLE  
SOLUTIONS  
INTERNATIONAL

Sustainable Solutions International  
Phone: 1 800 460 7019  
[www.SustainableSolutions.com](http://www.SustainableSolutions.com)

Topmount Sink / 2008 / Yo | Ion Branding + Design

Please Keep This Manual For Future Reference

# Topmount Sink

These instructions are for installing a topmount stainless steel sink. Topmount sinks are sinks that are mounted from above the countertop and sealed to the top of the counter. If you are installing another type of sink, such as a Undermount sink which is installed underneath the counter, please refer to the instructions specifically for those sinks.

Templates are supplied as a guide. Fabricator must ensure that the template model number matches the sink being installed. We will not be responsible for incorrectly cut counter surfaces.

# Care & Cleaning

Your stainless steel sink is made of 304 series stainless steel. This elegant, heavy duty, non-porous material is hygienic, rust-free, and extremely durable.

After every use, rinse thoroughly, then wipe the sink dry with a clean soft cloth to avoid water spotting and mineral deposits.

**Note: It is recommended that all countertops be cut by an approved or certified installer and that the sinks be installed by the installer whenever possible.**

Before installing the sink, inspect it for damage. Do not install a damaged sink.

Remember, it is your responsibility to follow all local plumbing and building codes.

The warranty will be voided if these installation instructions are not followed.

# Tools Required for Installation



**Topmount Template**



**Cutting Tool**



**Tape Measure**



**Pencil**



**Sealant**



**Screwdriver**

# Installation Instructions

1. Cut out the template and place it on the countertop, making sure that sink front is parallel to the front of the counter.
2. Tape the template in place, and trace around the dashed line in the template.
3. Cut the countertop along the traced line with the proper tool for the countertop material.
4. Insert the sink into the countertop to test if the cutout is the correct size.
5. Remove the sink and make any necessary adjustments in the cutout or placement.
6. Apply a bead of sealant completely around all edges of sink opening.
7. Place the sink in the sink opening.
8. Determine placement of clip brackets as indicated by template.
9. Install clip brackets by tightening screws to secure the sink.
10. Remove excess sealant if any.



Sustainable Solutions International  
USA: Los Angeles, CA  
Canada: Burnaby, BC  
Phone: 1 800 460 7019  
[www.SustainableSolutions.com](http://www.SustainableSolutions.com)