






for the perfect temperature...



VALVE TRIM KITS

- a. FP6051143-2TH CP | BN | MB
- Trim for Thermostatic Valve with 2-Way Diverter (Square Plate and Square Handles)
 - b. FP6051143-3TH CP | BN | MB
- Trim for Thermostatic valve with 3-Way
 Diverter (Square Plate and Square Handles)





- c. $FP6051243-2TH CP \mid BN \mid MB$
- Trim for Thermostatic Valve with 2-Way Diverter (Round Plate and Square Handle)
 - d. FP6051243-3TH CP | BN | MB
- Trim for Thermostatic Valve with 3-Way Diverter (Round Plate and Square Handle)

Thermostatic Valve Required:



F5000B





F5002B



F5003B

- e. FP6052143-2TH CP | BN | MB
- Trim for Thermostatic Valve with 2-Way Diverter (Square Plate and Round Handle)
 - f. FP6052143-3TH CP | BN | MB
- Trim for Thermostatic valve with 3-Way
 Diverter (Square Plate and Round Handles)





- g. FP6052243-2TH CP | BN | MB
- Trim for Thermostatic Valve with 2-Way Diverter (Round Plate and Handles)
 - h. FP6052243-3TH CP | BN | MB
- Trim for Thermostatic Valve with 3-Way Diverter (Round Plate and Handles)

Thermostatic Valves

1

F5002B

Two Way Diverting Thermostatic Valve



F5003B

Three Way Diverting Thermostatic Valve





Questions?

sustainablesolutions.com help@sustainablesolutions.com Toll Free: 1800 460 7019 Tel: 604 430 2020



Feature Sheet & Legend

Look for these icons throughout our catlogues to quickly identify product features.



Swivel Aerator

Directs flow of water to prevent splashback.



F1001B Valve Required

For pressure balancing non-diverting shower kits.



Removeable easy clean basket

Prevent small items plus dirt and debris from entering drains.



F1002B Valve Required

For pressure balancing 2-way single handle diverting shower kits.



Precision Ceramic Disc Cartridge

Ensures life-long trouble-free service.



F1012B Valve Required

For pressure balancing 2-way two handle diverting shower kits.



Slip Fit

For Easy alignment during installation.



F1003B Valve Required

For pressure balancing 3-way diverting shower kits.



Speed Connect

For Easy and fast installation.



F5001B Valve Required

For thermostatic non-diverting shower kits.



Suitable for Retrofit

Indicates what can be used as a retrofit solution in a shower.



F5002B Valve Required

For thermostatic 2-way diverting shower kits.



Heavy Brass Construction

For durability and reliability.



F5003B Valve Required

For thermostatic 3-way diverting shower kits.

Pricing Index

Thermostatic

Product Number	Product Name	Series	Pricing & Finish
FP6051143-2TH	Trim for Thermostatic Valve with 2-Way Diverter (Square Plate and Square Handles)	Thermostatic	CP: 211 BN: 251 MB: 251
FP6051143-3TH	Trim for Thermostatic valve with 3-Way Diverter (Square Plate and Square Handles)	Thermostatic	CP: 211 BN: 251 MB: 251
FP6051243-2TH	Trim for Thermostatic Valve with 2-Way Diverter (Round Plate and Square Handle)	Thermostatic	CP: 211 BN: 251 MB: 251
FP6051243-3TH	Trim for Thermostatic Valve with 3-Way Diverter (Round Plate and Square Handle)	Thermostatic	CP: 211 BN: 251 MB: 251
FP6052143-2TH	Trim for Thermostatic Valve with 2-Way Diverter (Square Plate and Round Handle)	Thermostatic	CP:199 BN:236 MB:236
FP6052143-3TH	Trim for Thermostatic valve with 3-Way Diverter (Square Plate and Round Handles)	Thermostatic	CP:199 BN:236 MB:236
FP6052243-2TH	Trim for Thermostatic Valve with 2-Way Diverter (Round Plate and Handles)	Thermostatic	CP:199 BN:236 MB:236
FP6052243-3TH	Trim for Thermostatic Valve with 3-Way Diverter (Round Plate and Handles)	Thermostatic	CP:199 BN:236 MB:236
F5002B	Thermostatic 2 Way Diverting Shower Valve	Thermostatic	487
F5003B	Thermostatic 3 Way Diverting Shower Valve	Thermostatic	605