



# kitchen

INNOVATIVE FIXTURES FOR LIFE

fluid

Sustainable  
Solutions





Pictured: F823SS Kitchen Faucet  
& FSN-UDR3218 sink.



for family  
**meals...**



# Kitchen Faucets

KITCHENS

Your dream kitchen starts with the perfect faucet

## F827 – CP | SS | MB Pull Down Contemporary Kitchen Faucet

Features: 1.8 gpm, 3 finishes, Pre-assembled top mount, mesh screens to filter out dirt & debris from the city water line, 360° rotation with an optional 140° lock, pull down sprayer with magnetic docking and a dual function spray head with round button activation.



CHROME

STAINLESS STEEL



MATTE BLACK



CHROME



STAINLESS STEEL

## F823 – CP | SS Palm Pull Down Kitchen Faucet

Features: 1.8 gpm, Heavy brass construction; dual function spray head, easy installation with top mounting and quick connect system.





F840 – CP | SS

### Quad Series Kitchen Faucet

Features: 1.5 gpm, Heavy brass construction, unique contemporary high arc square spout design with 360 degree rotation and single flow function with square aerator.



F835 – CP | SS | MB

### Wisdom Pull Down Kitchen Faucet

Features: 1.5 gpm, Heavy brass construction, swivel spout with 360 degree rotation and optional 140 degree swivel lock, dual-function spray head and quick and easy installation with top mounting and quick connect system.



F830 – CP | SS | MB

### Pre-Rinse Industrial-Look Faucet

Features: 1.8 gpm, Pull down pre-rinse Kitchen faucet; industrial professional look and feel, swivel spout with 360 degree rotation and heavy brass construction.



# Kitchen Faucets

KITCHEN

Contemporary or  
Classic; looks to match  
your style.

F829 - CP | SS | MB

## Square Pull Down Contemporary Kitchen Faucet


Features: 1.5 gpm, Dual spray, aerated flow,  
Swivel spout for 360 degree rotation, mag-  
netic docking, quick hose connector,



MATTE BLACK



CHROME



STAINLESS STEEL





Pictured: F827MB Kitchen Faucet





Pictured: F823SS Kitchen Faucet & FSN-UDR3218 sink.





for **expert**  
meal prep...








Pictured: F823CP Kitchen Faucet & FSN-USR2318 sink.



# Single Bowl Kitchen Sinks



FSN-USR2318 – SS

## Single Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

23" (584 mm) x 18" (457 mm) x 9" (229 mm)

### Minimum Cabinet Size:

27" (686 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid


Dimensions:

1 grid, 19 <sup>9</sup>/<sub>16</sub>" (497 mm) x 14 <sup>9</sup>/<sub>16</sub>" (370 mm)

Part Number: WG-USR2318

### Optional Drain Strainer

Part Number: FS-KS100



FSN-USR3218 – SS

## Single Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

32" (813 mm) x 18" (457 mm) x 9" (229 mm)

### Minimum Cabinet Size:

36" (914 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid

Dimensions:


1 grid, 28 <sup>3</sup>/<sub>8</sub>" (720 mm) x 14 <sup>3</sup>/<sub>8</sub>" (365 mm)

Part Number: WG-USR3218

### Optional Drain Strainer

Part Number: FS-KS100

## Options & Extras:



Optional Wire Grid



Optional Drain Strainer





# Single Bowl Kitchen Sinks

KITCHEN



FSN-USR2918 – SS

## Single Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

29" (736 mm) x 18" (457 mm) x 9" (229 mm)

### Minimum Cabinet Size:

32" (813 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid


Dimensions:

1 grid, 25  $\frac{9}{16}$ " (650 mm) x 14  $\frac{9}{16}$ " (370 mm)

Part Number: WG-USR2918

### Optional Drain Strainer

Part Number: FS-KS100



FSN-USR1614 – SS

## Single Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

16" (406 mm) x 14" (455 mm) x 7" (178 mm)

### Minimum Cabinet Size:

20" (508 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid

Dimensions:


1 grid, 12  $\frac{5}{8}$ " (320 mm) x 10  $\frac{5}{8}$ " (270 mm)

Part Number: WG-USR1614

### Optional Drain Strainer

Part Number: FS-KS100

## Options & Extras:



Optional Wire Grid



Optional Drain Strainer





FSN-USR2518 – SS  
Single Bowl Undermount Kitchen Sink

**Material:**

Made of #18 gauge (1.0 mm) type 304 stainless steel.

**Overall Dimensions:**

25" (635 mm) x 18" (457 mm) x 9" (229 mm)

**Minimum Cabinet Size:**

30" (762 mm)

**Recessed Drain Opening:**

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

**Optional Wire Grid**


Dimensions:

1 grid, 21 <sup>9</sup>/<sub>16</sub>" (548 mm) x 14 <sup>9</sup>/<sub>16</sub>" (370 mm)

Part Number: WG-USR2518

**Optional Drain Strainer**

Part Number: FS-KS100



FSN-USR2018 – SS  
Single Bowl Undermount Kitchen Sink

**Material:**

Made of #18 gauge (1.0 mm) type 304 stainless steel.

**Overall Dimensions:**

20" (508 mm) x 18" (457 mm) x 7" (178 mm)

**Minimum Cabinet Size:**

24" (609 mm)

**Recessed Drain Opening:**

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

**Optional Wire Grid**

Dimensions:

1 grid, 16 <sup>9</sup>/<sub>16</sub>" (421 mm) x 14 <sup>9</sup>/<sub>16</sub>" (370 mm)

Part Number: WG-USR2018

**Optional Drain Strainer**

Part Number: FS-KS100

**Note:** All sinks are nested; stack packed to reduce packaging, storage and shipping costs.



# Double Bowl Kitchen Sinks

KITCHEN



FSN-UDR3218 - SS

## Double Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

29" (736 mm) x 18" (457 mm) x 9" (229 mm)

### Minimum Cabinet Size:

36" (914 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid

Dimensions:

2 grids, 13 1/16" (332 mm) x 14 9/16" (370 mm)

Part Number: WG-UDR3218

### Optional Drain Strainer

Part Number: FS-KS100



FSN-UDR2918 - SS

## Double Bowl Undermount Kitchen Sink

### Material:

Made of #18 gauge (1.0 mm) type 304 stainless steel.

### Overall Dimensions:

29" (737 mm) x 18" (457 mm) x 9" (229 mm)

### Minimum Cabinet Size:

33" (838 mm)

### Recessed Drain Opening:

3.5" (88.9 mm) Diameter

Full undercoating and large rubber pads for noise reduction and condensation elimination.

### Optional Wire Grid

Dimensions:


2 grids, 11 9/16" (294 mm) x 14 9/16" (370 mm)

Part Number: WG-UDR2918

### Optional Drain Strainer

Part Number: FS-KS100

## Options & Extras:



Optional Wire Grid



Optional Drain Strainer







Pictured: F830CP Kitchen Faucet

## Questions?

[sustainableolutions.com](http://sustainableolutions.com)  
[help@sustainableolutions.com](mailto:help@sustainableolutions.com)  
Toll Free: 1 800 460 7019  
Tel: 604 430 2020

# Feature Sheet & Legend

Look for these icons throughout our catalogues to quickly identify product features.



## **Swivel Aerator**

Directs flow of water to prevent splashback.



## **Removeable easy clean basket**

Prevent small items plus dirt and debris from entering drains.



## **Precision Ceramic Disc Cartridge**

Ensures life-long trouble-free service.



## **Slip Fit**

For Easy alignment during installation.



## **Speed Connect**

For Easy and fast installation.



## **Suitable for Retrofit**

Indicates what can be used as a retrofit solution in a shower.



## **Heavy Brass Construction**

For durability and reliability.



## **F1001B Valve Required**

For pressure balancing non-diverting shower kits.



## **F1002B Valve Required**

For pressure balancing 2-way single handle diverting shower kits.



## **F1012B Valve Required**

For pressure balancing 2-way two handle diverting shower kits.



## **F1003B Valve Required**

For pressure balancing 3-way diverting shower kits.



## **F5001B Valve Required**

For thermostatic non-diverting shower kits.



## **F5002B Valve Required**

For thermostatic 2-way diverting shower kits.



## **F5003B Valve Required**

For thermostatic 3-way diverting shower kits.



# Pricing Index

## Kitchen

Product Number	Product Name	Series	Pricing & Finish
<b>F823</b>	Palm Pull Down Kitchen Faucet	Kitchen	CP: 565 SS: 675
<b>F827</b>	Pull Down Contemporary Kitchen Faucet	Kitchen	CP: 429 SS: 515 MB: 515
<b>F829</b>	Square Pull Down Contemporary Kitchen Faucet	Kitchen	CP: 449 SS: 539 MB: 539
<b>F830</b>	Pre-Rinse Industrial-Look Faucet	Kitchen	CP: 683 SS: 817 MB: 817
<b>F835</b>	Wisdom Pull Down Kitchen Faucet	Kitchen	CP: 604 SS: 722 MB: 722
<b>F840</b>	Quad Series Kitchen Faucet	Kitchen	CP: 414 SS: 493
<b>FS-KS100</b>	Drain Strainer	Kitchen	SS: 32
<b>FSN-UDR2918</b>	Double Bowl Undermount Kitchen Sink	Kitchen	SS: 595
<b>FSN-UDR3218</b>	Double Bowl Undermount Kitchen Sink	Kitchen	SS: 634
<b>FSN-USR1614</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 295
<b>FSN-USR2018</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 406
<b>FSN-USR2318</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 406
<b>FSN-USR2518</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 425
<b>FSN-USR2918</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 473
<b>FSN-USR3218</b>	Single Bowl Undermount Kitchen Sink	Kitchen	SS: 500
<b>WG-UDR2918</b>	Wire grid for FSN-UDR2918	Kitchen	SS: 99
<b>WG-UDR3218</b>	Wire grid for FSN-UDR3218	Kitchen	SS: 107
<b>WG-USR1614</b>	Wire grid for FSN-USR1614	Kitchen	SS: 110
<b>WG-USR2018</b>	Wire grid for FSN-USR2018	Kitchen	SS: 66
<b>WG-USR2318</b>	Wire grid for FSN-USR2318	Kitchen	SS: 75
<b>WG-USR2518</b>	Wire grid for FSN-USR2518	Kitchen	SS: 81
<b>WG-USR2918</b>	Wire grid for FSN-USR2918	Kitchen	SS: 100

PRICING INDEX 0922C

BN – Brushed Nickel, CP – Chrome, MB – Matte Black, PN – Polished Nickel, SS – Stainless Steel

\*Some MB components look similar to those pictured, but material, model numbers and prices may vary.