fluid

Specifications:

- → Metal construction for durability and reliability
- Pressure balancing volume control with 3-way two handle diverting
- Maximum temperature limit stop for added safety
- > Integral stop check valves for easy maintenance
- > Valve and trim packages are sold separately
- Requires the fluid F1003B pressure balancing valve, (sold separately and available with shut off or **sharing in solder, PEX and PEX-W.)

Components:

F1001T	. Cartridge Sleeve
FP6024041	. Citi Handle
FP801013	. Diverter Sleeve
FP605752	. Diverter Handle
FP6001142-3PB	. Cover Plate
FP6002050	.8" Brass Showerhead
FP6006008	.16" Shower Arm
FP40120	. 3 Function Hand Shower
FA802	. Slide Bar With Integral Outlet
FP6001006	. 60" Shower Hose
FP6057034	. 8" Pipe Tub Spout

**sharing available where allowed by code

Kit with Alternate Handle: **F243024T-AR**



Features:



Requires F1003B



Bubble Level



Integral Stops



Speed Connect

Citi Tub, 3 Function Hand Shower and 8" Rain Shower Kit

F243024T







Available in Polished Chrome (CP) and Brushed Nickel (BN)





fluid

Specifications:

- → Metal construction for durability and reliability
- → Pressure balancing volume control with 3-way two handle diverting
- → Max-temperature limit stop for added safety
- → Integral stop check valves for easy maintenance
- > Valve and trim packages are sold separately
- Requires the fluid F1003B pressure balancing valve, (sold separately and available with shut off or **sharing in solder, PEX and PEX-W.)

Components:


F1001T	Cartridge Sleeve
FP6024041	Citi Handle
FP801013	Diverter Sleeve
FP605752	Diverter Handle
FP6001142-3PB	Cover Plate
FP6002050	8" Brass Showerhead
FP6006008	16" Shower Arm
FP40120	3 Function Hand Shower
FA802	Slide Bar With Integral Outlet
FP6001006	60" Shower Hose
FP6057034	8" Pipe Tub Spout

**sharing available where allowed by code

Kit with Alternate Handle: F243024T-AR



Features:



Integral Stops



Bubble Level

Speed Connect

Citi Tub, 3 Function Hand Shower and 8" Rain Shower Kit

F243024T



Available in Polished Chrome (CP) and Brushed Nickel (BN)







fluid

Technical Drawing

F243024T





Codes and

Warranty:

Limited Lifetime Faucet Warranty against material and manufacturing defects for residential use.

2 Year Limited Warranty on all industrial, commercial and business applications.

Kit Variations:

Kit with ADA diverter handle: F243024T-AR

Kit with square style cover plate & diverter handle: F243024T-S

Flow Rate:

Shower Head 1.8 gpm @ 60 psig Hand Shower 1.8 gpm @ 60 psig Tub Spout 4.5 gpm @ 60 psig

Low Flow Alternative: Hand Shower @ 1.5 gpm: F243024T-15

F243024T September 2023